

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru

Технические характеристики на посудомоечные машины, машины для мойки горшков компании **EMPERO GROUP**

Виды товаров: посудомоечные машины для стекла, посудомоечные машины встраиваемые, посудомоечные машины с сушилкой, посудомоечные машины купольного типа машины для мойки горшков.

Glasswasher



- 3 different programs, 90/120/180 seconds..
- Standart polisher pump.
- Standart drain pump.
- Economical water, detergent and energy consumption.
- Basket dimensions 400x400 mm.
- Motor power: 0.25 kW 2800 rpm.
- Washing tank heating power: 2.5 kW.
- Rinse boiler heater power: 2 kW.
- Machine total power: 4.5 kW.

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity glass/hour
		a	b	c			
EMP.1100	Glasswasher	480x580x720			43	0.20	1000

Undercounter Type Dishwasher



- 3 different programs, 90/120/180 seconds..
- Standart drainage pump.
- Economical water, detergent and energy consumption.
- Basket dimensions 500x500 mm.
- Maximum plate diameter: 320 mm
- Stainless steel resistances
- Magnetic cover security sensor
- Stainless steel body
- Washing water temperature 55-60°C
- Rinse water temperature 80-85°C
- Motor power: 0.55 kW 2800 rpm.
- Washing tank heating power: 2.5 kW.
- Rinse boiler heater power: 5 kW.

EMP.500-F - EMP.500-380-F

- With Detergent and RinseAid Pump

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity plate / hour
		a	b	c			
EMP.500	Undercounter Type Dishwasher 220V	590x700x820			64	0.33	500
EMP.500-380	Undercounter Type Dishwasher 380V	590x700x820			64	0.33	500
EMP.500-F	Full Undercounter Type Dishwasher 220V	590x700x820			64	0.33	500
EMP.500-380-F	Full Undercounter Type Dishwasher 380V	590x700x820			64	0.33	500

Undercounter Type Dishwashers (Digital Control)

- 4 different programs, 60/90/120/180 seconds..
- Standart drain pump.
- Economical water, detergent and energy consumption.
- Basket dimensions 500x500 mm.
- Maximum plate diameter: 320 mm
- Stainless steel resistances
- Magnetic cover security sensor
- Stainless steel body
- Washing water temperature 55-60°C
- Rinse water temperature 80-85°C
- Motor power: 0.55 kW 2800 rpm.
- Washing tank heating power: 2.5 kW.
- Rinse boiler heater power: 5 kW.



EMP.500-SDF - EMP.500-380-SDF
- With Detergent and RinseAid Pump

EMP.500-SD - EMP.500-SDF
- Machine total power: 8 kW/220V

EMP.500-380-SD - EMP.500-380-SDF
- Machine total power: 8 kW/380V

Digital Control Board

- 2.4 inch color screen.
- Enlightened touch control panel.
- Washing and rinsing motor control.
- Water drain control.
- Ability to control the boiler and tank temperature separately.
- Waterproof front panel.

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity plate / hour
		a	b	c			
EMP.500-SD	Undercounter Type Dishwasher Digital Control 220V	590x700x820			64	0.33	500
EMP.500-380-SD	Undercounter Type Dishwasher Digital Control 380V	590x700x820			64	0.33	500
EMP.500-SDF	Full Undercounter Type Dishwasher Digital Control 220V	590x700x820			64	0.33	500
EMP.500-380-SDF	Full Undercounter Type Dishwasher Digital Control 380V	590x700x820			64	0.33	500

Undercounter Type Dishwasher - Double Skin



- 4 different programs, 60/90/120/180 seconds..
- Standart drainage pump.
- Economical water, detergent and energy consumption.
- Basket dimensions 500x500 mm.
- Maximum plate diameter: 320 mm
- Stainless steel resistances
- Magnetic cover security sensor
- Stainless steel body
- Washing water temperature 55-60°C
- Rinse water temperature 80-85°C
- Motor power: 0.55 kW 2800 rpm.
- Washing tank heating power: 2.5 kW.
- Rinse boiler heater power: 5 kW.

EMP.500-D

- Machine total power: 8 kW/220V

EMP.500-D-380

- Machine total power: 8 kW/380V

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity plate/hour
		a	b	c			
EMP.500-D	Undercounter Type Dishwasher Double Skin 220V	600x600x820			72	0.33	500
EMP.500-D-380	Undercounter Type Dishwasher Double Skin 380V	600x600x820			72	0.33	500

Hood Type Dishwasher



- 4 different programs, 60/90/120/180 seconds.
- Economical water, detergent and energy consumption.
- Basket dimensions 500x500 mm.
- Stainless steel resistances
- Stainless steel body
- Washing water temperature 55-60°C
- Rinse water temperature 80-85°C
- Motor power: 0.55 kW 2800 rpm.
- Washing tank heating power: 2.5 kW
- Rinse boiler heater power: 6 kW
- Machine total power: 9 kW/380 V

EMP.1000-F

- With Detergent and Rinse Aid Pump.

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity plate / hour
		a	b	c			
EMP.1000	Hood Type Dishwasher	696x765x1485			112	0.79	1000
EMP.1000-F	Full Hood Type Dishwasher	696x765x1485			112	0.79	1000

Hood Type Dishwasher - Double Skin



- 4 different programs, 60/90/120/180 seconds.
- Standart drainage pump.
- With Detergent and Rinse Aid Pump.
- Economical water, detergent and energy consumption.
- Basket dimensions 500x500 mm.
- Stainless steel resistances
- Stainless steel body.
- Washing water temperature 55-60°C
- Rinse water temperature 80-85°C
- Motor power: 0.55 kW 2800 rpm.
- Washing tank heating power: 2.5 kW
- Rinse boiler heater power: 6 kW
- Machine total power: 9 kW/380 V

Digital Control Board

- 2.4 inch color screen.
- Enlightened touch control panel.
- Washing and rinsing motor control.
- Water drain control.
- Ability to control the boiler and tank temperature separately.
- Waterproof front panel.

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity plate/hour
		a	b	c			
EMP.1000-D	Hood Type Dishwasher Double Skin	720x840x1570			150	0.95	1000

Conveyor Type Dishwasher (Drying Unit)



- Standart drying tunnel.
- 2 speed conveyor band.
- 2 pieces of washing motors.
- Standart drainage pump.
- Economical water, detergent and energy consumption.
- Basket dimensions 500x500 mm
- Stainless steel resistances.
- Magnetic cover security sensor.
- Stainless steel body.
- Washing water temperature 55-60°C
- Rinse water temperature 80-85°C
- Drying unit motor power 9 kW
- Washing tank heating power: 12 kW
- Rinse boiler heater power: 24 kW
- Machine total power: 48 kW/380 V

EMP.2000-SAG-R / EMP.2000-SOL-L

- Motor power: 0.55 kW 2800 rpm x 2

EMP.3000-SAG-R / EMP.3000-SOL-L

- Motor power: 0.55 kW 2800 rpm x 3

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity kg / hour
		a	b	c			
EMP.2000-SAG-R	Conveyor Type Dishwasher with Drying Tunnel	1900x837x2000			317	3.18	2200
EMP.2000-SOL-L	Conveyor Type Dishwasher with Drying Tunnel	1900x837x2000			340	3.18	2200
EMP.3000-SAG-R	Conveyor Type Dishwasher with Drying Tunnel	2561x837x2000			405	4.29	2200 / 3300
EMP.3000-SOL-L	Conveyor Type Dishwasher with Drying Tunnel	2561x837x2000			428	4.29	2200 / 3300

Pot Washing Machines



- 3 different programs, 120/240/360 seconds.
- Economical water, detergent and energy consumption.
- Magnetic cover security sensor.
- Stainless steel resistances
- Stainless steel body
- Washing water temperature 55-60°C
- Rinse water temperature 80-85°C

EMP.UW-80

- Tank capacity: 80 lt.
- Water consumption: 4,5 lt
- Capacity: 30 basket/hour
- Capacity: 240 pieces 60x80 cm tray/hour
- Capacity: 60x1/1 Gn-hour
- Motor power: 1.5 kW 2800 rpm
- Tank heating power: 6 kW
- Rinse boiler heating power 18 kW
- Machine total power: 30 kW/380 V

EMP.UW-130

- Tank capacity: 130 lt
- Water consumption: 7,5 lt
- Capacity: 30 basket/hour
- Capacity: 480 pieces 60x80 cm tray/hour
- Capacity: 120x1/1 Gn-hour
- Motor power: 1.5 kW 2800 rpm x 2
- Tank heating power: 12 kW
- Rinse boiler heating power 18 kW
- Machine total power: 40 kW/380V

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.UW-80	Pot Washing Machine 80 Lt	764x960x1985			210	1.46
EMP.UW-130	Pot Washing Machine 130 Lt	1360x930x1985			300	2.51

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru