

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru

Технические характеристики на вертикальные холодильники и морозильники компании **EMPERO GROUP**

Виды товаров: вертикальные холодильники для кондитерских изделий с вентиляторным охлаждением, вертикальные морозильники для кондитерских изделий с вентиляторным охлаждением, вертикальные морозильники, вертикальные морозильники, вертикальные холодильники со стеклом.

Upright Patisserie Deep Freezers (Fan Cooling)



- Working temperature; -18/-20 °C
- 220-230V -1 +N 50-60 Hz electrical power.
- “CFC Free” R-290 refrigerant gas.
- 40 kg/m³ density.
- Temperature and defrost controlled digital display.
- Automatic evaporation of water during defrosting.
- Cooling with fan.
- Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self-closing doors at 45 degrees.
- Copper tube evaporator with aluminum fins.
- Stainless steel body.

EMP.70.95.02

- Capacity: 20 pieces 40x60 trays

EMP.140.95.02

- Capacity: 2x20 pieces 40x60 trays

Code	Description	Dimensions mm			Weight kg	Volume m3	Power kw	Capacity lt
		a	b	c				
EMP.70.95.02	Upright Patisserie Deep Freezer Single Door	700x800x2050			163	1.2	0.69	700
EMP.140.95.02	Upright Patisserie Deep Freezer Double Doors	1400x800x2050			240	2.4	1.20	1400

Upright Patisserie Refrigerators (Fan Cooling)



- Working temperature; 0/+5 °C at tropical ambient temperature 43 °C
- 220-230V -1 +N 50-60 Hz electrical power.
- “CFC Free” R-134 A refrigerant gas.
- 40 kg/m³ density.
- Temperature and defrost controlled digital display.
- Automatic evaporation of water during defrosting.
- Cooling with fan.
- Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self-closing doors at 45 degrees.
- Copper tube evaporator with aluminum fins.
- Stainless steel body.

EMP.70.95.01

- Capacity: 20 pieces 40x60 trays

EMP.140.95.01

- Capacity: 2x20 pieces 40x60 trays

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity lt
		a	b	c				
EMP.70.95.01	Upright Patisserie Refrigerator Single Door	700x800x2050			142	1.2	0.69	700
EMP.140.95.01	Upright Patisserie Refrigerator Double Doors	1400x800x2050			220	2.4	0.26	1400

Upright Patisserie Deep Freezers (Fan Cooling)



- 40 layers 400x600 mm tray capacity.
- Working temperature; -18/-20 °C
- 220-230V -1 +N 50-60 Hz electrical power.
- “CFC Free” R-290 refrigerant gas.
- 40 kg/m³ density.
- Temperature and defrost controlled digital display.
- Automatic evaporation of water during defrosting.
- Cooling with fan.
- Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self-closing doors at 45 degrees.
- Copper tube evaporator with aluminum fins.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Volume m3	Power kw	Capacity
		a	b	c				
EMP.70.95.02-40	Upright Patisserie Deep Freezer Single Door	700x950x2050			160	1.5	0.70	40

Upright Patisserie Refrigerators (Fan Cooling)



- 40 layers 400x600 mm tray capacity.
- Working temperature; 0/+5 °C at tropical ambient temperature 43 °C
- 220-230V -1 +N 50-60 Hz electrical power.
- “CFC Free” R-134 A refrigerant gas.
- 40 kg/m³ density.
- Temperature and defrost controlled digital display.
- Automatic evaporation of water during defrosting.
- Cooling with fan.
- Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self-closing doors at 45 degrees.
- Copper tube evaporator with aluminum fins.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity
		a	b	c				
EMP.70.95.01-40	Upright Patisserie Refrigerator Single Door	700x950x2050			150	1.5	0.16	40

Upright Deep Freezers (Fan Cooling)



- Working temperature; -18/-20 °C
- 220-230V -1 +N 50-60 Hz electrical power.
- “CFC Free” R-290 refrigerant gas.
- 40 kg/m³ density.
- Temperature and defrost controlled digital display.
- Automatic evaporation of water during defrosting.
- Cooling with fan.
- Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self-closing doors at 45 degrees.
- Copper tube evaporator with aluminum fins.
- Stainless steel body.

EMP.70.80.02

- 3 pieces 2/1 Gn interior shelves.

EMP.140.80.02

- 6 pieces 2/1 Gn interior shelves.

Code	Description	Dimensions mm			Weight kg	Volume m3	Power kw	Capacity lt
		a	b	c				
EMP.70.80.02	Upright Deep Freezers 2 Doors	700x800x2050			151	1.2	0.69	700
EMP.140.80.02	Upright Deep Freezers 4 Doors	1400x800x2050			245	2.4	1.20	1400

Upright Refrigerators with Glass (Fan Cooling)



- Working temperature; 0/+5 °C at tropical ambient temperature 43 °C
- 220-230V -1 +N 50-60 Hz electrical power.
- “CFC Free” R-134 A refrigerant gas.
- 40 kg/m³ density.
- Temperature and defrost controlled digital display.
- Automatic evaporation of water during defrosting.
- Cooling with fan.
- Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self-closing doors at 45 degrees.
- Copper tube evaporator with aluminum fins.
- Stainless steel body.

EMP.70.80.03

- 3 pieces 2/1 Gn interior shelves.

EMP.140.80.03

- 6 pieces 2/1 Gn interior shelves.

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity lt
		a	b	c				
EMP.70.80.03	Upright Refrigerator Single Door with Glass	700x800x2050			155	1.2	0.16	700
EMP.140.80.03	Upright Refrigerator Double Doors with Glass	1400x800x2050			230	2.4	0.30	1400

Upright Refrigerators (Fan Cooling)



- Working temperature; 0/+5 °C at tropical ambient temperature 43 °C
- 220-230V -1 +N 50-60 Hz electrical power.
- “CFC Free” R-134 A refrigerant gas.
- 40 kg/m³ density.
- Temperature and defrost controlled digital display.
- Automatic evaporation of water during defrosting.
- Cooling with fan.
- Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self-closing doors at 45 degrees.
- Copper tube evaporator with aluminum fins.
- Stainless steel body.

EMP.70.80.01

- 3 pieces 2/1 Gn interior shelves.

EMP.140.80.01

- 6 pieces 2/1 Gn interior shelves.

Code	Description	Dimensions mm			Weight kg	Volume m3	Power kw	Capacity lt
		a	b	c				
EMP.70.80.01	Upright Refrigerator Single Door	700x800x2050			135	1.2	0.14	700
EMP.140.80.01	Upright Refrigerator Double Doors	1400x800x2050			220	2.4	0.26	1400

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru