

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru

Технические характеристики на оборудование для демонстрации блюд, часть 1 (витрины, салат-бары, буфеты, запчасти) компании **EMPERO GROUP**

Виды товаров: столовые модули, салат-бары с холодным буфетом, буфеты с мармитами, горячие буфеты, нейтральные салат-бары, шведские столы, витрины с вытяжкой, угольные грили, угловые буфеты, витрины для мяса и закусок с выпуклым, плоским стеклом, витрины для кондитерских изделий нейтральные, с охлаждением

Cold Buffet Salad Bar



- Stainless steel well.
- 220V 50Hz energy.
- Serpentine cooling system.
- 40 kg/m3 density polyurathane isolation.
- Lightining system.
- Refrigerant gas: R-134 A
- Optional wooden body colour.
- Removable glass sneeze guard shield.

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity
		a	b	c				
EMP.SB.03	Cold Buffet Salad Bar	1180x890x870/1370			125	1.43	1.3	3x1/1 GN
EMP.SB.04	Cold Buffet Salad Bar	1500x890x870/1370			146	1.82	1.3	4x1/1 GN
EMP.SB.05	Cold Buffet Salad Bar	1800x890x870/1370			163	2.19	1.3	5x1/1 GN
EMP.SB.06	Cold Buffet Salad Bar	2100x890x870/1370			184	2.50	1.3	6x1/1 GN

Hot Buffets



- Thermostatic control.
- Power: 220V 50 Hz
- Stainless steel well.
- Water drainage valve.
- Lightining system.
- Optional wooden body colour.
- Removable glass sneeze guard shield.

Code	Description	Dimensions mm			Weight kg	Volume m3	Power kw	Capacity
		a	b	c				
EMP.SBS.03	Hot Buffet	1180x890x870/1370			125	1.43	3.6	3x1/1 GN
EMP.SBS.04	Hot Buffet	1500x890x870/1370			146	1.82	3.6	4x1/1 GN
EMP.SBS.05	Hot Buffet	1800x890x870/1370			163	2.19	3.5	5x1/1 GN
EMP.SBS.06	Hot Buffet	2100x890x870/1370			184	2.50	3.5	6x1/1 GN

Neutral Buffet Salad Bar



- Granite table top.
- Lightining system.
- Optional wooden body colour.
- Removable glass sneeze guard shield.

Code	Description	Dimensions mm			Weight kg	Volume m3
		a	b	c		
EMP.SB.03-N	Neutral Buffet Salad Bar	1180x890x870/1370			125	1.43
EMP.SB.04-N	Neutral Buffet Salad Bar	1500x890x870/1370			146	1.82
EMP.SB.05-N	Neutral Buffet Salad Bar	1800x890x870/1370			163	2.19
EMP.SB.06-N	Neutral Buffet Salad Bar	2100x890x870/1370			184	2.50

Bainmarie and Neutral Service Units



- Thermostatic control.
- Power: 220V 50 Hz
- Stainless steel well.
- Water drainage valve.
- Lightining system.
- Optional wooden front surface.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity
		a	b	c			
EMP.BEN.31	Service Unit Top Shelf Sliding Tray	1500x790x850/1350			99	1.5	3 Hot + 1 Neutral
EMP.BEN.41	Service Unit Top Shelf Sliding Tray	1800x790x850/1350			118	1.8	4 Hot + 1 Neutral
EMP.BEN.31.AD	Service Unit Top Shelf Sliding Tray Wooden	1500x790x850/1350			99	1.5	3 Hot + 1 Neutral
EMP.BEN.41.AD	Service Unit Top Shelf Sliding Tray Wooden	1800x790x850/1350			118	1.8	4 Hot + 1 Neutral
EMP.BKU.10	Service Plate Unit	800x790x850/1350			75	0.8	2/1 150 Gn
EMP.BKU.10.AH	Service Plate Unit Wooden Decorated	800x790x850/1350			75	0.8	

Bainmarie Service Units



- Thermostatic control.
- Power: 220V 50 Hz
- Stainless steel well.
- Water drainage valve.
- Led lightining.
- Optional wooden front surface.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity
		a	b	c				
EMP.BEH.05	Bainmarie Service Unit	800x790x850			40	0.55	3.6	2x1/1 GN
EMP.BEH.10	Bainmarie Service Unit	1250x790x850			67	0.8	3.6	3x1/1 GN
EMP.BEH.30	Bainmarie Service Unit	1500x790x850			79	0.95	3.5	4x1/1 GN
EMP.BEH.50	Bainmarie Service Unit	1800x790x850			95	1.2	3.5	5x1/1 GN
EMP.BEH.70	Bainmarie Service Unit	2100x790x850			157	1.3	7.2	6x1/1 GN


Cold Service Units (Fan Cooling)



- Working temperature; 0/+5 °C at tropical ambient temperature 43 °C
- 220-230V -1 +N 50-60 Hz electrical power.
- “CFC Free” R-134 A refrigerant gas.
- 40 kg/m³ density.
- Temperature and defrost controlled digital display.
- Automatic evaporation of water during defrosting.
- Cooling with fan.
- Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self-closing doors at 45 degrees.
- Copper tube evaporator with aluminum fins.
- Adjustable, stainless steel shelf housing, plastic coated shelves.
- Stainless steel body.
- Optional wooden front surface.
- Led lightining.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Volume m3	Power kw	Capacity
		a	b	c				
EMP.BSS.20	Cold Service Unit	1250x790x850			86	0.8	0.35	3x1/1
EMP.BSS.40	Cold Service Unit	1500x790x850			100	1	0.45	4x1/1
EMP.BSS.60	Cold Service Unit	2000x790x850			120	1.2	0.45	5x1/1
EMP.BSS.80	Cold Service Unit Refrigerated	2550x790x850			140	1.68	0.60	7x1/1

Cold Service Units (Fan Cooling)



- Top table has cashier section.
- Working temperature; 0/+5 °C at tropical ambient temperature 43 °C
- 220-230V -1 +N 50-60 Hz electrical power.
- “CFC Free” R-134 A refrigerant gas.
- 40 kg/m³ density.
- Temperature and defrost controlled digital display.
- Automatic evaporation of water during defrosting.
- Cooling with fan.
- Ozone-friendly” 48 mm thickness polyurethane isolation.
- Self-closing doors at 45 degrees.
- Copper tube evaporator with aluminum fins.
- Adjustable, stainless steel shelf housing, plastic coated shelves.
- Stainless steel body.
- Optional wooden front surface.
- Led lightining.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Volume m3	Power kw	Capacity
		a	b	c				
EMP.BSSD.10S	Cold Service Unit	1500x790x850			86	0.8	0.45	3x1/1
EMP.BSSD.50S	Cold Service Unit	2000x790x850			100	1	0.45	4x1/1
EMP.BSSD.90S	Cold Service Unit	2550x790x850			120	1.68	0.50	5x1/1

Display Type Grills (with Hood)



- Coal grill firebrick.
- Tempered glass.
- Hood with filter.
- Inside lighting.
- Coal drawer.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity grill cm
		a	b	c			
EMP.OCK.010	Display Type Grill (with Hood)	960x790x2100			152	1.95	80
EMP.OCK.020	Display Type Grill (with Hood)	1360x790x2100			234	2.75	120
EMP.OCK.030	Display Type Grill (with Hood)	1760x790x2100			276	3.55	160

Charcoal Grills



- Coal grill firebrick.
- Ash drawer.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.OCK.010-K	Charcoal Grill	800x730x290			70	0.16
EMP.OCK.020-K	Charcoal Grill	12000x730x290			90	0.25
EMP.OCK.030-K	Charcoal Grill	1600x730x290			105	0.33

Neutral Service Units



- Adjustable feet.
- Optional wooden front surface.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.NS.10	Neutral Service Unit	600x790x850			66	0.4
EMP.NS.30	Neutral Service Unit	900x790x850			70	0.6
EMP.NS.50	Neutral Service Unit	1150x790x850			85	0.8
EMP.NS.70	Neutral Service Unit	1500x790x850			95	1
EMP.NS.90	Neutral Service Unit	1800x790x850			105	1.2

Corner Service and Cutlery Units



- Adjustable feet.
- Optional wooden front surface.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.BKT.10	Corner Service Unit	1400x790x850			75	0.9
EMP.BKU.10	Cutlery Unit	800x790x850/1350			75	0.8

Угловой сервиз и столовые приборы



- Регулируемые ножки.
- Факультативная деревянная передняя поверхность.
- Корпус из нержавеющей стали.

Код	Описание	Размеры мм			Вес кг	Net m3
		а	б	с		
ЭМП.БКТ.10	Угловой блок обслуживания	1400x790x850			75	0.9
ЭМП БКУ 10	Столовые приборы	800x790x850/1350			75	0.8

Mercury Meat and Appetizer Showcases (Convex Glass)



- Working temperature; 0/+8 °C (at ambient temp. 43 °C)
- Interior engined refrigerating system.
- Under-set storage system.
- Lift up safety front glass, for convex glass showcase.
- Fan cooling.
- R-134 A refrigerant gas.
- Led lighting system.
- 40 kg/m3 density polyurathane isolation.

Code	Description	Dimensions mm			Weight kg	Net m3	Cooling Capacity kw
		a	b	c			
EMP.MZ.100.A.BC	Mercury Meat Appetizer Showcase Wooden Decorated	1000x750x1350			240	1.1	1.01
EMP.MZ.100.P.BC	Mercury Meat Appetizer Showcase Stainless Steel	1000x750x1350			240	1.1	1.01
EMP.MZ.150.A.BC	Mercury Meat Appetizer Showcase Wooden Decorated	1500x750x1350			296	1.4	1.08
EMP.MZ.150.P.BC	Mercury Meat Appetizer Showcase Stainless Steel	1500x750x1350			296	1.4	1.08
EMP.MZ.200.A.BC	Mercury Meat Appetizer Showcase Wooden Decorated	2000x750x1350			350	1.9	1.73
EMP.MZ.200.P.BC	Mercury Meat Appetizer Showcase Stainless Steel	2000x750x1350			350	1.9	1.73

Mercury Meat and Appetizer Showcases (Flat Glass)



- Working temperature; 0/+8 °C (at ambient temp. 43 °C)
- Interior engine refrigerating system.
- Under-set storage system.
- Fan cooling.
- R-134 A refrigerant gas.
- Led lighting system.
- 40 kg/m³ density polyurethane isolation.

Code	Description	Dimensions mm			Weight kg	Net m ³	Cooling Capacity kw
		a	b	c			
EMP.MZ.100.A.DC	Mercury Meat Appetizer Showcase Wooden Decorated	1000x750x1350			240	1.1	1.01
EMP.MZ.100.P.DC	Mercury Meat Appetizer Showcase Stainless Steel	1000x750x1350			240	1.1	1.01
EMP.MZ.150.A.DC	Mercury Meat Appetizer Showcase Wooden Decorated	1500x750x1350			296	1.4	1.08
EMP.MZ.150.P.DC	Mercury Meat Appetizer Showcase Stainless Steel	1500x750x1350			296	1.4	1.08
EMP.MZ.200.A.DC	Mercury Meat Appetizer Showcase Wooden Decorated	2000x750x1350			350	1.9	1.73
EMP.MZ.200.P.DC	Mercury Meat Appetizer Showcase Stainless Steel	2000x750x1350			350	1.9	1.73

Pluton Meat and Apettizer Showcase (Flat Glass)



- Working temperature 0/+8 °C (at ambient temp. 43 °C)
- Interior engined refrigeration system.
- Under-set storage system.
- Cooling with fan.
- Refrigerant gas: R-134 A
- Led lighting system.
- 40 kg/m3 density polyurathane isolation.

Code	Description	Dimensions mm			Weight kg	Net m3	Cooling Capacity kw
		a	b	c			
EMP.VT.D.100.S	Pluton Meat and Apettizer Showcase	1000x870x1350			172	1.1	1.73
EMP.VT.D.130.S	Pluton Meat and Apettizer Showcase	1300x870x1350			224	1.2	1.73
EMP.VT.D.160.S	Pluton Meat and Apettizer Showcase	1600x870x1350			255	1.5	1.73
EMP.VT.D.200.S	Pluton Meat and Apettizer Showcase	2000x870x1350			276	1.5	2.07

Pluton Meat and Apettizer Showcase (Convex Glass)



- Working temperature 0/+8 °C (at ambient temp. 43 °C)
- Interior engined refrigeration system.
- Under-set storage system.
- Lift up safety front glass.
- Cooling with fan.
- Refrigerant gas:R-134 A
- Led lighting system.
- 40 kg/m3 density polyurathane isolation.

Code	Description	Dimensions mm			Weight kg	Net m3	Cooling Capacity kw
		a	b	c			
EMP.VT.B.100.S	Pluton Meat and Apettizer Showcase	1000x870x1350			172	1.1	1.73
EMP.VT.B.130.S	Pluton Meat and Apettizer Showcase	1300x870x1350			224	1.2	1.73
EMP.VT.B.160.S	Pluton Meat and Apettizer Showcase	1600x870x1350			255	1.5	1.73
EMP.VT.B.200.S	Pluton Meat and Apettizer Showcase	2000x870x1350			276	1.5	2.07

Neptun Pastry Showcase (with Cooling)



- Working temperature; 0/+8 °C (at ambient temperature 43 °C)
- Interior engined refrigeration system.
- Cooling with fan.
- Refrigerant gas: R-134 A
- Led lighting system.
- 40 kg/m3 density polyurathane isolation.

Code	Description	Dimensions mm			Weight kg	Net m3	Cooling Capacity kw
		a	b	c			
EMP.DT.100.S	Neptün Pastry Showcase with Cooling	1000x750x1350			172	1.01	1.15
EMP.DT.130.S	Neptün Pastry Showcase with Cooling	1300x750x1350			224	1.2	1.73
EMP.DT.160.S	Neptün Pastry Showcase with Cooling	1600x750x1350			276	1.5	1.73
EMP.DT.200.S	Neptün Pastry Showcase with Cooling	2000x750x1350			330	1.9	2.07

Neptun Pastry Showcase (Neutral)



- Led lighting system.

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.DT.100.N	Neptün Pastry Showcase Neutral	1000x750x1350			158	1.01
EMP.DT.130.N	Neptün Pastry Showcase Neutral	1300x750x1350			204	1.2
EMP.DT.160.N	Neptün Pastry Showcase Neutral	1600x750x1350			250	1.5
EMP.DT.200.N	Neptün Pastry Showcase Neutral	2000x750x1350			300	1.9

Neptun Pastry Showcase (with Heating)



- Working temperature; 0/+60 °C
- Led lighting system.

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.DT.100.I	Neptün Pastry Showcase with Heating	1000x750x1350			165	1.01
EMP.DT.130.I	Neptün Pastry Showcase with Heating	1300x750x1350			210	1.2
EMP.DT.160.I	Neptün Pastry Showcase with Heating	1600x750x1350			255	1.5
EMP.DT.200.I	Neptün Pastry Showcase with Heating	2000x750x1350			305	1.9

Venus Pastry Showcase (with Cooling)



- Working temperature; 0/+8 °C (at ambient temperature 43 °C)
- Interior engined refrigeration system
- Lift up safety front glass.
- Cooling with fan.
- Refrigerant gas: R-134 A
- Led lighting system.
- 40 kg/m3 density polyurathane isolation.

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.BC.100.S	Venus Pastry Showcase with Cooling	1000x750x1350			172	1.01
EMP.BC.130.S	Venus Pastry Showcase with Cooling	1300x750x1350			224	1.2
EMP.BC.160.S	Venus Pastry Showcase with Cooling	1600x750x1350			276	1.5
EMP.BC.200.S	Venus Pastry Showcase with Cooling	2000x750x1350			330	1.9

Venus Pastry Showcase (Neutral)



- Under-set storage system.
- Lift up safety front glass.
- Led lighting system.

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.BC.100.N	Venus Pastry Showcase Neutral	1000x750x1350			158	1.01
EMP.BC.130.N	Venus Pastry Showcase Neutral	1300x750x1350			204	1.2
EMP.BC.160.N	Venus Pastry Showcase Neutral	1600x750x1350			250	1.5
EMP.BC.200.N	Venus Pastry Showcase Neutral	2000x750x1350			300	1.9

Venus Pastry Showcase (with Heating)



- Working temperature; 0/+60 °C
- Bottom storage cabinet.
- Led lighting system.

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.BC.100.I	Venus Pastry Showcase with Heating	1000x750x1350			165	1.01
EMP.BC.130.I	Venus Pastry Showcase with Heating	1300x750x1350			350	1.2
EMP.BC.160.N	Venus Pastry Showcase with Heating	1600x750x1350			255	1.5
EMP.BC.200.N	Venus Pastry Showcase with Heating	2000x750x1350			305	1.9

Cold Service Unit Accessories



Code	Description
EMP.BSSD.10S.AD.A	Light Brown Wooden Decorated
EMP.BSSD.50S.AD.A	Light Brown Wooden Decorated
EMP.BSSD.90S.AD.A	Light Brown Wooden Decorated

Code	Description
EMP.BSSD.10S.AD.K	Dark Brown Wooden Decorated
EMP.BSSD.50S.AD.K	Dark Brown Wooden Decorated
EMP.BSSD.90S.AD.K	Dark Brown Wooden Decorated

Code	Description
EMP.BSSD.10S.AD.M	Rusty Wooden Decorated
EMP.BSSD.50S.AD.M	Rusty Wooden Decorated
EMP.BSSD.90S.AD.M	Rusty Wooden Decorated

Code	Description
EMP.BSSD.10S.AD.GT	Standard Granite-Star Galaxy
EMP.BSSD.50S.AD.GT	Standard Granite-Star Galaxy
EMP.BSSD.90S.AD.GT	Standard Granite-Star Galaxy

Code	Description
EMP.BSSD.10S.AD.TK	Tray Sliding Stand
EMP.BSSD.50S.AD.TK	Tray Sliding Stand
EMP.BSSD.90S.AD.TK	Tray Sliding Stand

Code	Description	Dimensions mm
EMP.BSSD.10S.USC.T	Top Shelf Group Difference - Full Glass	1140x375x440
EMP.BSSD.50S.USC.T	Top Shelf Group Difference - Full Glass	1500x375x440
EMP.BSSD.90S.USC.T	Top Shelf Group Difference - Full Glass	2000x375x440

Code	Description	Dimensions mm
EMP.BSSD.10S.USC.Y	Top Shelf Group Difference - Half Glass	1140x375x440
EMP.BSSD.50S.USC.Y	Top Shelf Group Difference - Half Glass	1500x375x440
EMP.BSSD.90S.USC.Y	Top Shelf Group Difference - Half Glass	2000x375x440

Code	Description	Dimensions mm
------	-------------	------------------

Bainmarie Service Unit Accessories



Code	Description
EMP.BEH.05.AD.A	Light Brown Wooden Decorated
EMP.BEH.10.AD.A	Light Brown Wooden Decorated
EMP.BEH.30.AD.A	Light Brown Wooden Decorated
EMP.BEH.50.AD.A	Light Brown Wooden Decorated
EMP.BEH.70.AD.A	Light Brown Wooden Decorated

Code	Description
EMP.BEH.05.AD.K	Dark Brown Wooden Decorated
EMP.BEH.10.AD.K	Dark Brown Wooden Decorated
EMP.BEH.30.AD.K	Dark Brown Wooden Decorated
EMP.BEH.50.AD.K	Dark Brown Wooden Decorated
EMP.BEH.70.AD.K	Dark Brown Wooden Decorated

Code	Description
------	-------------

EMP.BEH.05.AD.M	Rusty Wooden Decorated
EMP.BEH.10.AD.M	Rusty Wooden Decorated
EMP.BEH.30.AD.M	Rusty Wooden Decorated
EMP.BEH.50.AD.M	Rusty Wooden Decorated
EMP.BEH.70.AD.M	Rusty Wooden Decorated

Code	Description
EMP.BEH.05.GT	Standard Granite-Star Galaxy
EMP.BEH.10.GT	Standard Granite-Star Galaxy
EMP.BEH.30.GT	Standard Granite-Star Galaxy
EMP.BEH.50.GT	Standard Granite-Star Galaxy
EMP.BEH.70.GT	Standard Granite-Star Galaxy

Code	Description
EMP.BEH.05.TK	Tray Sliding Stand
EMP.BEH.10.TK	Tray Sliding Stand
EMP.BEH.30.TK	Tray Sliding Stand
EMP.BEH.50.TK	Tray Sliding Stand
EMP.BEH.70.TK	Tray Sliding Stand

Code	Description	Dimensions mm
EMP.BEH.05.USC.T	Top Shelf Group Difference - Full Glass	800x375x440
EMP.BEH.10.USC.T	Top Shelf Group Difference - Full Glass	1250x375x440
EMP.BEH.30.USC.T	Top Shelf Group Difference - Full Glass	1500x375x440
EMP.BEH.50.USC.T	Top Shelf Group Difference - Full Glass	1800x375x440
EMP.BEH.70.USC.T	Top Shelf Group Difference - Full Glass	2100x375x440

Code	Description	Dimensions mm
EMP.BEH.05.USC.Y	Top Shelf Group Difference - Half Glass	800x375x440
EMP.BEH.10.USC.Y	Top Shelf Group Difference - Half Glass	1250x375x440
EMP.BEH.30.USC.Y	Top Shelf Group Difference - Half Glass	1500x375x440
EMP.BEH.50.USC.Y	Top Shelf Group Difference - Half Glass	1800x375x440
EMP.BEH.70.USC.Y	Top Shelf Group Difference - Half Glass	2100x375x440



Code	Description	Dimensions mm
EMP.BEH.05.BC.T	Convex Glass Difference - Full Glass	800x640x440
EMP.BEH.10.BC.T	Convex Glass Difference - Full Glass	1250x640x440
EMP.BEH.30.BC.T	Convex Glass Difference - Full Glass	1500x640x440
EMP.BEH.50.BC.T	Convex Glass Difference - Full Glass	1800x640x440
EMP.BEH.70.BC.T	Convex Glass Difference - Full Glass	2100x640x440

Code	Description	Dimensions mm
EMP.BEH.05.BC.Y	Convex Glass Difference - Half Glass	800x640x440
EMP.BEH.10.BC.Y	Convex Glass Difference - Half Glass	1250x640x440
EMP.BEH.30.BC.Y	Convex Glass Difference - Half Glass	1500x640x440
EMP.BEH.50.BC.Y	Convex Glass Difference - Half Glass	1800x640x440
EMP.BEH.70.BC.Y	Convex Glass Difference - Half Glass	2100x640x440

EMP.BSSD.10S.BC.T	Convex Glass Difference - Full Glass	1140x640x440
EMP.BSSD.50S.BC.T	Convex Glass Difference - Full Glass	1500x640x440
EMP.BSSD.90S.BC.T	Convex Glass Difference - Full Glass	2000x640x440

Code	Description	Dimensions mm
EMP.BSSD.10S.BC.Y	Convex Glass Difference - Half Glass	1140x640x440
EMP.BSSD.50S.BC.Y	Convex Glass Difference - Half Glass	1500x640x440
EMP.BSSD.90S.BC.Y	Convex Glass Difference - Half Glass	2000x640x440

Display Type Grill Accessories



Code	Description
EMP.OCK.010.AD.A	Light Brown Wooden Decorated
EMP.OCK.020.AD.A	Light Brown Wooden Decorated
EMP.OCK.030.AD.A	Light Brown Wooden Decorated

Code	Description
EMP.OCK.010.AD.K	Dark Brown Wooden Decorated
EMP.OCK.020.AD.K	Dark Brown Wooden Decorated
EMP.OCK.030.AD.K	Dark Brown Wooden Decorated

Code	Description
EMP.OCK.010.AD.M	Rusty Wooden Decorated
EMP.OCK.020.AD.M	Rusty Wooden Decorated
EMP.OCK.030.AD.M	Rusty Wooden Decorated

Code	Description
EMP.OCK.010.GT	Standard Granite-Star Galaxy
EMP.OCK.020.GT	Standard Granite-Star Galaxy
EMP.OCK.030.GT	Standard Granite-Star Galaxy

Code	Description
------	-------------

EMP.OCK.010.BR	Copper Hood
EMP.OCK.020.BR	Copper Hood
EMP.OCK.030.BR	Copper Hood

Neutral Service Unit Accessories



Code	Description
EMP.NS.10.AD.A	Light Brown Wooden Decorated
EMP.NS.30.AD.A	Light Brown Wooden Decorated
EMP.NS.50.AD.A	Light Brown Wooden Decorated
EMP.NS.70.AD.A	Light Brown Wooden Decorated
EMP.NS.90.AD.A	Light Brown Wooden Decorated

Code	Description
EMP.NS.10.AD.K	Dark Brown Wooden Decorated
EMP.NS.30.AD.K	Dark Brown Wooden Decorated
EMP.NS.50.AD.K	Dark Brown Wooden Decorated
EMP.NS.70.AD.K	Dark Brown Wooden Decorated
EMP.NS.90.AD.K	Dark Brown Wooden Decorated

Code	Description
------	-------------

EMP.NS.10.AD.M	Rusty Wooden Decorated
EMP.NS.30.AD.M	Rusty Wooden Decorated
EMP.NS.50.AD.M	Rusty Wooden Decorated
EMP.NS.70.AD.M	Rusty Wooden Decorated
EMP.NS.90.AD.M	Rusty Wooden Decorated

Code	Description
EMP.NS.10.GT	Standard Granite-Star Galaxy
EMP.NS.30.GT	Standard Granite-Star Galaxy
EMP.NS.50.GT	Standard Granite-Star Galaxy
EMP.NS.70.GT	Standard Granite-Star Galaxy
EMP.NS.90.GT	Standard Granite-Star Galaxy

Code	Description
EMP.NS.10.TK	Tray Sliding Stand
EMP.NS.30.TK	Tray Sliding Stand
EMP.NS.50.TK	Tray Sliding Stand
EMP.NS.70.TK	Tray Sliding Stand
EMP.NS.90.TK	Tray Sliding Stand

Code	Description	Dimensions mm
EMP.NS.10.USC.T	Top Shelf Group Difference - Full Glass	600x375x440
EMP.NS.30.USC.T	Top Shelf Group Difference - Full Glass	900x375x440
EMP.NS.50.USC.T	Top Shelf Group Difference - Full Glass	1150x375x440
EMP.NS.70.USC.T	Top Shelf Group Difference - Full Glass	1500x375x440
EMP.NS.90.USC.T	Top Shelf Group Difference - Full Glass	1800x375x440

Code	Description	Dimensions mm
EMP.NS.10.USC.Y	Top Shelf Group Difference - Half Glass	600x375x440
EMP.NS.30.USC.Y	Top Shelf Group Difference - Half Glass	900x375x440
EMP.NS.50.USC.Y	Top Shelf Group Difference - Half Glass	1150x375x440
EMP.NS.70.USC.Y	Top Shelf Group Difference - Half Glass	1500x375x440
EMP.NS.90.USC.Y	Top Shelf Group Difference - Half Glass	1800x375x440

Code	Description	Dimensions mm
EMP.NS.10.BC.T	Convex Glass Difference - Full Glass	600x640x440
EMP.NS.30.BC.T	Convex Glass Difference - Full Glass	900x640x440
EMP.NS.50.BC.T	Convex Glass Difference - Full Glass	1150x640x440
EMP.NS.70.BC.T	Convex Glass Difference - Full Glass	1500x640x440
EMP.NS.90.BC.T	Convex Glass Difference - Full Glass	1800x640x440

Code	Description	Dimensions mm
EMP.NS.10.BC.Y	Convex Glass Difference - Half Glass	600x640x440
EMP.NS.30.BC.Y	Convex Glass Difference - Half Glass	900x640x440
EMP.NS.50.BC.Y	Convex Glass Difference - Half Glass	1150x640x440
EMP.NS.70.BC.Y	Convex Glass Difference - Half Glass	1500x640x440
EMP.NS.90.BC.Y	Convex Glass Difference - Half Glass	1800x640x440

Cold Service Unit Accessories



Code	Description
EMP.BSS.20.AD.A	Light Brown Wooden Decorated
EMP.BSS.40.AD.A	Light Brown Wooden Decorated
EMP.BSS.60.AD.A	Light Brown Wooden Decorated
EMP.BSS.80.AD.A	Light Brown Wooden Decorated

Code	Description
EMP.BSS.20.AD.K	Dark Brown Wooden Decorated
EMP.BSS.40.AD.K	Dark Brown Wooden Decorated
EMP.BSS.60.AD.K	Dark Brown Wooden Decorated
EMP.BSS.80.AD.K	Dark Brown Wooden Decorated

Code	Description
EMP.BSS.20.AD.M	Rusty Wooden Decorated
EMP.BSS.40.AD.M	Rusty Wooden Decorated

EMP.BSS.60.AD.M	Rusty Wooden Decorated
EMP.BSS.80.AD.M	Rusty Wooden Decorated

Code	Description
EMP.BSS.20.GT	Standard Granite-Star Galaxy
EMP.BSS.40.GT	Standard Granite-Star Galaxy
EMP.BSS.60.GT	Standard Granite-Star Galaxy
EMP.BSS.80.GT	Standard Granite-Star Galaxy

Code	Description
EMP.BSS.20.TK	Tray Sliding Stand
EMP.BSS.40.TK	Tray Sliding Stand
EMP.BSS.60.TK	Tray Sliding Stand
EMP.BSS.80.TK	Tray Sliding Stand

Code	Description	Dimensions mm
EMP.BSS.20.USC.T	Top Shelf Group Difference - Full Glass	1250x375x440
EMP.BSS.40.USC.T	Top Shelf Group Difference - Full Glass	1500x375x440
EMP.BSS.60.USC.T	Top Shelf Group Difference - Full Glass	2000x375x440
EMP.BSS.80.USC.T	Top Shelf Group Difference - Full Glass	2550x375x440

Code	Description	Dimensions mm
EMP.BSS.20.USC.Y	Top Shelf Group Difference - Half Glass	1250x375x440
EMP.BSS.40.USC.Y	Top Shelf Group Difference - Half Glass	1500x375x440
EMP.BSS.60.USC.Y	Top Shelf Group Difference - Half Glass	2000x375x440
EMP.BSS.80.USC.Y	Top Shelf Group Difference - Half Glass	2550x375x440

Code	Description	Dimensions mm
EMP.BSS.20.BC.T	Convex Glass Difference - Full Glass	1250x640x440
EMP.BSS.40.BC.T	Convex Glass Difference - Full Glass	1500x640x440
EMP.BSS.60.BC.T	Convex Glass Difference - Full Glass	2000x640x440
EMP.BSS.80.BC.T	Convex Glass Difference - Full Glass	2550x640x440

Code	Description	Dimensions mm
EMP.BSS.20.BC.Y	Convex Glass Difference - Half Glass	1250x640x440
EMP.BSS.40.BC.Y	Convex Glass Difference - Half Glass	1500x640x440
EMP.BSS.60.BC.Y	Convex Glass Difference - Half Glass	2000x640x440
EMP.BSS.80.BC.Y	Convex Glass Difference - Half Glass	2550x640x440

Corner Service Tables and Cutlery Unit Accessories



Code	Description
EMP.BKT.10.AD.A	Light Brown Wooden Decorated
EMP.BKU.10.AD.A	Light Brown Wooden Decorated

Code	Description
EMP.BKT.10.AD.K	Dark Brown Wooden Decorated
EMP.BKU.10.AD.K	Dark Brown Wooden Decorated

Code	Description
EMP.BKT.10.AD.M	Rusty Wooden Decorated
EMP.BKU.10.AD.M	Rusty Wooden Decorated

Code	Description
EMP.BKT.10.GT	Standard Granite-Star Galaxy
EMP.BKU.10.GT	Standard Granite-Star Galaxy

Code	Description
EMP.BKT.10.TK	Tray Sliding Stand

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru