

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru

Технические характеристики на прочие аппараты, часть 1 компании **EMPERO GROUP**

Виды товаров: льдогенераторы, холодные и горячие витрины, охладители бутылок, холодильные витрины для суши, шкафы для охлаждения молока, автоматические тестораскаточные машины, погружные блендеры, барные блендеры, соковыжималки для апельсинов, соковыжималки.

Cold and Hot Display Units



- 220V / 50 Hz electrical power.
- Working temperature: 0 °C +12 °C
- R-134 A refrigerant gas.
- Led lighting system.
- Double glass.
- 2 adjustable shelves.
- Digital temperature control.

- 220V - 50 Hz Energy.
- Led lighting system.
- Thermostatic control.
- 3 adjustable shelves.

Code	Description	Dimensions mm			Weight kg	Power kw	Net m3	Capacity lt
		a	b	c				
JP.120.S	Cold Display Unit	702x568x686			64	0.16	0.20	120
JP.160.S	Cold Display Unit	880x568x686			71	0.16	0.30	160
JP.120.I	Hot Display Unit	678x578x670			48	1.1	0.20	120
JP.160.I	Hot Display Unit	857x578x670			56	1.5	0.30	160

Refrigerated Sushi Display Cases



- 220V - 230V -1 +N -50 60 Hz electrical power.
- -1/+1 OC working temperature.
- Tempered curved glass.
- Lifts up glass to remove for cleaning.
- Led lighting.
- Digital thermometer and thermostat.
- Automatic defrosting.
- Additional cooling system from the top.
- EASYCLEAN TRAYS SYSTEM© provide hygienic usage.

Code	Description	Dimensions mm			Weight kg	Power kw	Capacity GN 1/3
		a	b	c			
JP.STD-6	Refrigerated Sushi Display Cases	1447x387x240			49	0.13	6
JP.STD-8	Refrigerated Sushi Display Cases	1797x387x240			52	0.13	8

Refrigerated Sushi Display Cases



- 220V - 230V -1 +N -50 60 Hz electrical power.
- -1/+1 OC working temperature.
- Tempered curved glass.
- Lifts up glass to remove for cleaning.
- Led lighting.
- Digital thermometer and thermostat.
- Automatic defrosting.

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity
		a	b	c				
EMP.SCR.140	Sushi Display Unit	1400x400x250			31	125	2	6x1/3
EMP.SCR.180	Sushi Display Unit	1740x400x250			36	170	2.2	6x1/3

Milk Cooling Cabinet



- 1+1 liter tetrapack package is prepared for recommendation at +5 °C
- Double compensated
- Electric input: 220V~ 1

Code	Description	Dimensions mm			Weight kg	Power kw
		a	b	c		
JP.MC.01	Milk Cooling Cabinet	200x250x320			3	0.7

Automatic Dough Roller Machine



- 2 fixed and 2 swivelling wheels.
- Dough thickness adjustable from 0,3 - 35 mm
- With emergency off-switch.
- Bracket for additional dough roller.
- Motorised conveyor belts on both sides.
- Easy to clean.
- Foldable tape system.

Code	Description	Dimensions mm			Weight kg	Power kw	Band Dimension mm
		a	b	c			
JP.HA520L	Automatic Dough Roller Machine	2950x880x1170			240	0.75	2400x500

Juice Extractor Citrus Press - Orange Juicers



- Motor power: 220 - 240V - 430 W
 - Automatic pulp ejection.
 - Turbo button.
 - 6300 circuit per a minute.
 - Stainless steel body.
-
- 220V - 1800 rpm motor power.
 - Energy saving usage with silent operation.
 - Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Power kw	Net m3	Capacity lt
		a	b	c				
JP.KM.01	Juice Extractor Citrus Press	205x310x360			4	0.03	0.04	1
JP.PR.01	Orange Juicer	260x254x470			9	0.18	0.03	220

Orange Juicers



- 220V - 980 rpm motor power.
- Energy saving usage with silent operation.
- Stainless steel body on top reservoir.

Code	Description	Dimensions mm			Weight kg	Power kw	Net m3	Capacity lt
		a	b	c				
JP.PR.02	Orange Juicer (Stainless Steel)	280x200x470			9	0.23	0.03	340
JP.PR.03	Manuel Citrus Juicer	280x200x470			6	-	0.02	110

Speed Controlled Mixers



- 220V 50 Hz Energy.
- Removable stainless steel tank.
- Safety switch and hygienic usage.
- 1 Of Whisk.
- 1 Of Dough hook.
- 1 Of Mixing Paddle.

- 220V 50 Hz Energy.
- Removable stainless steel tank.
- Safety switch and hygienic usage.
- 1 Of Whisk.
- 1 Of Dough hook.
- 1 Of Mixing Paddle.

Code	Description	Dimension mm			Weight kg	Net m3	Power kw	Capacity lt
		a	b	c				
JP.MK.107	Speed Controlled Mixer	415x250x410			17	0.04	0.32	7
JP.MK20	3 Speed Mixer	420x520x760			80	0.17	0.75	20

Electrical Doner Blades



- Motor power: 2200 rpm 220V
- Blade diameter: 100 mm
- Cutting thickness: 0 ~ 8 mm
- Blade sharpening tool

Code	Description	Dimensions mm			Weight kg	Power kw	Net m3
		a	b	c			
JP.100E	Electrical Doner Blade	113x190x150			3	0.23	0.05
JP.D.01	Smooth Blade	Ø10					
JP.T.01	Knurled Blade	Ø10					

Immersion Blenders



JP.BLE.01

- Mixer Length: 250 mm
- Whisk Length: 200 mm
- Motor Power: 350 Watt
- Motor Speed: 4000-16000 rpm

JP.BLE.02

- Mixer Length: 250 mm
- Whisk Length: 250 mm
- Motor Power: 500 Watt
- Motor Speed: 4000-16000 rpm

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity lt
		a	b	c				
JP.BLE.01	Immersion Blender 20 (Wisk Tool and Cutter)	93x163x560			3.4	0.02	350	20-40
JP.BLE.02	Immersion Blender 25 cm (Wisk Tool and Cutter)	93x163x560			4.5	0.04	500	20-100

Juicers



- Provides hygiene with its break-resistant poly₁ carbonate chamber.
- New system faucet
- Electromagnetic pump / silent reducer motor
- Stainless steel side and front plates
- Quiet, durable, powerful compressor is used.
- It provides easy maintenance and cleaning thanks to its design.
- Provides cooling for juice in all conditions.

JP.DS.20

- Electric Input: 1P 230VAC
- Cable Cross Section (mm²): 3x1,5

JP.DS.40

- Electric Input: 1P 230VAC
- Cable Cross Section (mm²): 3x1,5

Code	Description	Dimensions mm	Weight kg	Net m3	Power kw
JP.DS.20	Juicers	540x205x745	20.5	0.08	4.5
JP.DS.40	Juicers	540x405x745	30.5	0.16	5.7

Ice Flakers



- Evaporator with aluminium panel and copper pipe.
- Sliding door.
- Stainless steel body.

JP.85-K

- Production Capacity: 85 kg/day
- Bin capacity: 20 kg

JP.150-K

- Production Capacity: 150 kg/day
- Bin capacity: 150 kg

JP.200-K

- Production Capacity: 200 kg/day
- Bin capacity: 220 kg

JP.400-K

- Production Capacity: 400 kg/day
- Bin capacity: 400 kg

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity kg
		a	b	c			
JP.85-K	Ice Flakers	465x595x790			55	0.22	85
JP.150-K	Ice Flakers (Bin Included)	559x800x1356			60	0.61	150
JP.200-K	Ice Flakers (Bin Included)	762x819x646			70	1.03	200
JP.400-K	Ice Flakers (Bin Included)	1219x819x1731			92	1.73	400

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru