

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru

Технические характеристики на тележки, бейнмари компании **EMPERO GROUP**

Виды товаров: транспортное оборудование, нейтральная банкетная тележка, тележки для горячих банкетов, тележки для холодных банкетов, тележки для горячих банкетов, тележки для холодных банкетов, банкетные тележки для холодных и горячих напитков, сервисные тележки, кухонные, мобильные контейнеры, бейнмари, корзины для тележек.

Neutral Banquet Trolley



- Lockable castors provide stabilizing.
- Isolation type: 40 kg/m3 density polyurathane isolation.
- Stainless steel body.

Code	Description	Dimensions mm			Weight kg	Net m3	Capacity gn
		a	b	c			
EMP.BQ3-002-N	Neutral Banquet Trolley	716x888x1275			131	0.81	8x2/1

Hot Mobile Bainmaries



- Electric thermostatic temperature control
- Fixing feature with lockable wheels
- Stainless steel bod .

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity gn
		a	b	c				
EMP.MBLB.01	Hot Mobile Bainmarie	855x705x850			39	0.51	1.75	2x1/1 Gn
EMP.MBLB.02	Hot Mobile Bainmarie	1185x705x850			45	0.67	1.75	3x1/1 Gn
EMP.MBLB.03	Hot Mobile Bainmarie	1505x705x850			60	0.90	1.75	4x1/1 Gn

Hot Banquet Trolleys



- Operating voltage: 220V
- Digital thermostat control unit.
- Interior heating indicator.
- Humidification system.
- Magnetic locker.
- Lockable castors provide stabilizing.
- Isolation type: 40 kg/m3 density polyurathane isolation.
- Optimized strong air circulation provides homogenic air flow from bottom to top in all conditions.
- Stainless steel body.
- Working temperature: 0 °C / 75 °C

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity gn
		a	b	c				
EMP.BQ1	Hot Banquet Trolley	716x888x1835			124	1.21	3	11x2/1 Gn
EMP.BQ2	Hot Banquet Trolley	1350x888x1835			200	2.17	3	2x(1 1x2/1 Gn)
EMP.BQ3	Hot Banquet Trolley	716x888x1251			60	0.79	3	6x2/1 Gn
EMP.BQ4	Hot Banquet Trolley	581x769x1683			94	0.75	3	15x1/1 Gn

Cold Banquet Trolleys



- 220V - 240V -1 +N - 50 60 Hz electrical power.
- “CFC Free” R-134 A refrigerant gas.
- Operating voltage: 220V
- Digital thermostat control unit.
- Magnetic locker.
- Lockable castors provide stabilizing.
- Isolation type: 40 kg/m3 density polyurathane isolation.
- Stainless steel body.
- Working temperature: 0 °C / +5 °C (at ambient temp. 43 °C)

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity gn
		a	b	c				
EMP.BQ1-S	Cold Banquet Trolley	716x888x1835			131	1.16	0.20	11x2/1 Gn
EMP.BQ2-S	Cold Banquet Trolley	1350x888x1835			225	2.20	0.30	2x(1 1x2/1 Gn)
EMP.BQ3-S	Cold Banquet Trolley	716x888x1251			102	0.79	0.20	6x2/1 Gn
EMP.BQ4-S	Cold Banquet Trolley	581x769x1683			107	0.71	0.18	15x1/1 Gn

PLUS Hot Banquet Trolleys



- Operating voltage: 220V
- Digital thermostat control unit.
- Panadur sandwich panel.
- Fully openable door system.
- Interior heating indicator.
- Lockable castors provide stabilizing.
- Stainless steel tray slides.
- Aluminium body.
- Working temperature: 65 °C / 75 °C

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity gn
		a	b	c				
EMP.BQ1-12H	Plus Hot Banquet Trolley	536x920x1480			65	0.73	1.9	12x1/1 Gn
EMP.BQ2-12H	Plus Hot Banquet Trolley	740x1036x1480			79	1.14	1.9	12x2/1 Gn
EMP.BQ1-12+12H	Plus Hot Banquet Trolley	1115x920x1400			130	1.44	3.8	24x1/1 Gn
EMP.BQ2-12+12H	Plus Hot Banquet Trolley	1526x1036x1400			152	2.22	3.8	24x2/1 Gn

PLUS Cold Banquet Trolleys



- 220V - 230V -1 +N - 50 60 Hz electrical power.
- “CFC Free” R-134 A refrigerant gas.
- Digital thermostat control unit.
- Panadur sandwich panel.
- Fully openable door system.
- Lockable castors provide stabilizing.
- Stainless steel tray slides.
- Aluminium body.
- Working temperature: +4 °C / +10 °C (at ambient temp. 43 °C)

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity gn
		a	b	c				
EMP.BQ1-12C	Plus Cold Banquet Trolley	536x920x1480			80	0.73	0.15	12x1/1 Gn
EMP.BQ2-12C	Plus Cold Banquet Trolley	740x1036x1480			94	1.14	0.15	12x2/1 Gn
EMP.BQ1-12+12C	Plus Cold Banquet Trolley	1115x920x1400			160	1.44	0.3	24x1/1 Gn
EMP.BQ2-12+12C	Plus Cold Banquet Trolley	1526x1036x1400			182	2.22	0.3	24x2/1 Gn

PLUS Hot-Cold Banquet Trolleys



- 220V - 230V -1 +N - 50 60 Hz electrical power.
- "CFC Free" R-134 A refrigerant gas.
- Digital thermostat control unit.
- Panadur sandwich panel.
- Fully openable door system.
- Interior heating indicator.
- Lockable castors provide stabilizing.
- Stainless steel tray slides.
- Aluminium body.
- Hot working temperature: 65 °C / 75 °C
- Cold Working temperature: +4 °C / +10 °C (at ambient temp. 43 °C)

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw	Capacity gn
		a	b	c				
EMP.BQ1-6+6HC	Plus Hot-Cold Banquet Trolley	536x920x1640			95	0.81	2.05	6x1/1 Gn Hot 6x1/1 Gn Cold
EMP.BQ2-6+6HC	Plus Hot-Cold Banquet Trolley	740x1036x1640			117	1.26	2.05	6x2/1 Gn Hot 6x2/1 Gn Cold
EMP.BQ1-12+12HC	Plus Hot-Cold Banquet Trolley	1115x920x1400			162	1.44	2.05	12x1/1 Gn Hot 12x1/1 Gn Cold
EMP.BQ2-12+12C	Plus Hot-Cold Banquet Trolley	1526x1036x1400			182	2.22	2.05	12x2/1 Gn Hot 12x2/1 Gn Cold

Hot - Cold Meal Distribution Trolleys



It is designed to carry and deliver the meals easily in hospitals, clinics and similar places and keeps the food at the required temperature. Trolleys can be easily stored side by side and back-to-back so that they do not occupy so much space in the operation. Thanks to its compact structure, it can be easily moved between floors, work at the floors easily. Thanks to push handles on both sides, the user can easily maneuver the trolley. In addition, with six wheels on the trolley, it can easily turn around itself. With the foldable tray table located at the front of the trolley, the user can put trays at any time and can get help from this table in the direction of need.

The 7" screen on the vehicle provides convenience to the user, which he can easily select the program and / or make a new program with the touch screen. Many parts on the trolley can be easily removed and installed back. At this point, service and maintenance are done at no cost. The lifetime of the trolley is much longer and it can serve for a long time.

Thanks to the bumpers located at the bottom, the trolley is protected against impacts. By this the food being transported is also secured. The doors of the trolley are easily opened. Thanks to the locking mechanism located in the middle, it can be locked whenever requested, and when the trolley is in the operation at the floor, the access of the unauthorized persons is stopped. Once the doors are opened, they are folded to the rear of the trolley, which helps saving space. In this way, trays can be easily placed, trays can be removed and trolley can be cleaned easily.

The trolleys are filled with the trays which are prepared at the portioning kitchen and they are transported to the patient floors. The vehicle consists of two compartments. There is an isolation wall separating these two chambers. The cold compartment of the trolley is at + 4°C (adjustable 0°C / + 6°C), the hot compartment is at 100 ° C (adjustable 50°C / 100°C.). As long as the meals are served, the internal temperatures are kept at the right values and these values do not change until the food served to patient bed.

- IP-65 protected USB port
- IP-65 protected ethernet port
- Wireless WI-FI communication system
- Internal battery helps to collect data when the trolley is not plugged.
- Data storage for one year in the memory.
- Data transfer from the USB memory stick, cable connection or wireless connection to software MED-SOFT in the main computer.
- Battery and date information display on the screen.
- Address and the department information of the trolley display on the screen.
- Hot compartment temperature can be adjustable between +50°C ile +100°C
- Cold compartment temperature can be adjustable between 0°C and +6°C.

- 4 cycle programs can be adjustable with the required temperature and time.
 - Tray Size: 575x325 mm
 - Tray Type: Gn 1/2 - Gn 1/3
- EMP.MED.S.24-1/2 - EMP.MED.S.24-1/3
- Power: 5-1.3 kW
- EMP.MED.S.30-1/2 - EMP.MED.S.30-1/3
- Power: 5.6-1.3 kW

Code	Description	Dimensions mm			Weight kg	Net m3	Tray Capacity pcs
		a	b	c			
EMP.MED.S.24-1/2	Hot - Cold Meal Distribution Trolley	811x1139x1382			195	1.28	24
EMP.MED.S.24-1/3	Hot - Cold Meal Distribution Trolley	811x1139x1382			195	1.28	24
EMP.MED.S.30-1/2	Hot - Cold Meal Distribution Trolley	811x1139x1619			215	1.50	30
EMP.MED.S.30-1/3	Hot - Cold Meal Distribution Trolley	811x1139x1619			215	1.50	30

Plastic Service Trolleys



Code	Description	Dimensions mm			Weight kg
		a	b	c	
EMP.PSV.03-K	Plastic Service Trolley 2 Tiers	500x800x970			14
EMP.CK.01-P	Plastic Trash Apparatus	330x225x560			1.7
EMP.CK.02-P	Plastic Spoon Apparatus	330x230x175			0.75
EMP.YK.01	Monoblock Covers				
EMP.PSV.02	Plastic Service Trolley 2 Tiers	500x800x970			8.1
EMP.PSV.03	Plastic Service Trolley 3 Tiers	500x800x970			11

Service Trolleys



Code	Description	Dimensions mm			Weight kg
		a	b	c	
EMP.2.SV.02	Service Trolley 2 Tiers	550x860x900			15
EMP.2.SV.03	Service Trolley 3 Tiers	550x860x900			20

Mobile Storage Bins and Transport Carts



Code	Description	Dimensions mm		
		a	b	c
EMP.BAKTT.2.906050-90	Pot Trolley	900x600x500/900		
EMP.TA.2.1055-17	Carcass Hanger	1000x550x1700		
EMP.TA.2.1255-17	Carcass Hanger	1200x550x1700		
EMP.TA.2.1555-17	Carcass Hanger	1500x550x1700		
EMP.PD.2.806020-90	Solid Platform Trolley	800x600x200 / 900		

Kitchen Trolleys



Code	Description	Dimensions mm			Capacity basket pcs
		a	b	c	
EMP.TT.2.7050	Tray Trolley For 50x70 Tray	560x730x1700			
EMP.BAKA.2.5	Basket Trolley With Rails Low	560x530x900			5
EMP.BAKY.2.10	Basket Trolley With High	560x530x1650			10

Kitchen Trolleys



Code	Description	Dimensions mm			Capacity tray
		a	b	c	
EMP.BA.2.3753-13	Tray Trolley with Rails Single Row For 37x53	430x560x1710			13-15
EMP.BA.2.3753-26	Tray Trolley with Rails Twin Row For 37x53	830x560x1710			26-30
EMP.BA.2.3753-39	Tray Trolley with Rails Triple Row For 37x53	1230x560x1710			39-45
EMP.BA.2.GN-9	Gn Trolley Low Single 1/1 Gn	380x560x1050			9 (gn 1/1)
EMP.BA.2.GN-17	Gn Trolley High Single 1/1 Gn	380x560x1720			17 (gn 1/1)
EMP.BA.2.GN-34	Gn Trolley High Twin 1/1 Gn	740x560x1720			34 (gn 1/1)

Kitchen Trolleys



Code	Description	Dimensions mm			Capacity tray
		a	b	c	
EMP.BA.2.GN2-9	Gn Trolley Low Single 2/1 Gn	590x680x1050			9 (gn 2/1)
EMP.BA.2.GN2-17	Gn Trolley High Single 2/1 Gn	590x680x1720			17 (gn 2/1)
EMP.BA.2.GN2-34	Gn Trolley High Twin 2/1 Gn	1150x680x1720			34 (gn 2/1)
EMP.TT.2.6040	Tray Trolley For 40x60 Tray Single	460x630x1650			15
EMP.2TT.2.6040	Tray Trolley For 40x60 Tray Twin	900x630x1650			30

Service Trolleys



Code	Description	Dimensions mm		
		a	b	c
EMP.BAH.2.8555-90	Tray Clearing Trolley	850x550x900		
EMP.BAKT.2.5555-90	Basket Trolley	550x550x900		

Mobile Storage Bins and Transport Carts



Code	Description	Dimensions mm			Type
		a	b	c	
EMP.CY.01	Mobile Waste Bin-Round	400x400			Inox 304
EMP.CK.01	Mobile Waste Bin-Square	500x550x500			Inox 304
EMP.ECK.3.8454-58	Mobile Bin Double Lid	840x540x580			Inox 304

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru