

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru

Технические характеристики на переносные боксы, термобоксы, прочие принадлежности для транспортировки компании **EMPERO GROUP**

Виды товаров: небьющиеся тарелки, подогреватели, горячие шкафы, пицца-боксы, сумки для доставки, стульчики для кормления, раковины для умывания, мобильные дезинфекционные станции, диспенсеры для тарелок, жиरोотделители, портативные озоновые генераторы и др.

Hot Cupboards



- Stainless steel body.
- Working temperature: 0 °C / 90 °C

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw
		a	b	c			
EMP.IDP.7120	Hot Cupboard - Non Insulated	1200x700x850			82	0.71	1.4
EMP.IDP.7140	Hot Cupboard - Non Insulated	1400x700x850			93	0.83	1.6
EMP.IDP.7160	Hot Cupboard - Non Insulated	1600x700x850			102	0.95	1.8
EMP.IDP.7180	Hot Cupboard - Non Insulated	1800x700x850			131	1.07	2
EMP.IDP.7200	Hot Cupboard - Non Insulated	2000x700x850			142	1.19	2.2
EMP.IDP.7120- I	Hot Cupboard - Insulated	1200x700x850			82	0.71	1.4
EMP.IDP.7140- I	Hot Cupboard - Insulated	1400x700x850			93	0.83	1.6
EMP.IDP.7160- I	Hot Cupboard - Insulated	1600x700x850			102	0.95	1.8
EMP.IDP.7180- I	Hot Cupboard - Insulated	1800x700x850			131	1.07	2
EMP.IDP.7200- I	Hot Cupboard - Insulated	2000x700x850			142	1.19	2

Drawer Warmers



- Operating voltage: 220V
- Each drawer has separate thermostatic control.
- Insulated inner body.
- Heavy duty drawer slides.
- Stainless steel body.
- 1/1 Gn Capacity.
- Working temperature: 0 °C / 90 °C

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw
		a	b	c			
EMP.EI.01	Single Drawer Heating Unit	825x640x405			45	0.2	2
EMP.EI.02	2 Drawers Heating Unit	825x640x680			69	0.3	4
EMP.EI.03	3 Drawers Heating Unit	825x640x960			98	0.9	6

Meal Distribution Trolley Accessories



* These 1/2 trays are divided into 50% / 50% when they are fitted in the partition wall. The hot side and the cold side of the trays are the same in width and depth when they are settled in the trolley.

* These 1/3 trays are divided into %37 / %63 when they are fitted in the partition wall. The hot side is wide and the cold side is narrow when they are settled in the trolley. By this 3 dishes can be loaded on the hot side of the tray. (Ø12, Ø21, Ø17) hot dishes can be loaded at the same time.

Code	Description	Dimensions mm		
		a	b	c
EMP.5732.S-1/2	1/2 Hot-Cold Trolley Special Tray	575x325		
EMP.5732.S-1/3	1/3 Hot-Cold Trolley Special Tray	575x325		
EMP.MED.SOFT	MED-SOFT Software			

Unbreakable Plates for Meal Distribution Trolleys



Code	Description
EMP.MED.JØ12T	Soup Plate White Ø12 mm
EMP.MED.JØ12K	Soup Plate Lid
EMP.MED.ÇØ21T	Hot Dish Plate White Ø 21 mm

EMP.MED.ÇØ21K	Hot Dish Plate Lid
EMP.MED.DØ19T	Flat Rice Plate White Ø 19 mm
EMP.MED.DØ19K	Flat Rice Plate Lid
EMP.MED.DØ17T	Flat Desert Plate White Ø 17 mm
EMP.MED.DØ17K	Flat Desert Plate Lid
EMP.MED.S12x17T	Salad Plate White R12*17 mm
EMP.MED.S12x17K	Salad Plate Lid
EMP.MED.KTØ23T	Divided Breakfast Plate White Ø23 mm
EMP.MED.KTØ23K	Divided Breakfast Plate Lid

Plastic Baby Feeding Chair



Code	Description	Dimensions mm			Weight kg
		a	b	c	
EMP.MS.01	Plastic Baby Feeding Chair	600x600x750			6.5

Portable Ozone Generator



- High voltage, high frequency
- Plate type corona discharge
- Ready to use
- Longlife corona cell
- Ozone indication lamp
- Stainless steel cabin
- Water applicability
- Adjustable ozone production
- Timer
- Air cooled
- Low energy consumption

EMP.BR-2

Dimensions mm	Power kw	Weight kg
330x160x210	0,6	4,9

Foot Operated Hand Wash Sinks



- Stainless steel body.
 - Contemporary design.
 - Quick and easy set-up.
 - Hygienic, closed trash bin.
 - Foot operated Push-Pull water flow system.
 - Z type napkin holder.
 - Elbow operated soap dispenser.
- EMP.DKE.50-T
- Mobile system.
 - Fresh Water Tank: 30 lt
 - Waste Tank: 30 lt

Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.AYK.002	Foot Operated Hand Wash Sink	500x450x850/1350			22	0.30
EMP.DKE.50-T	Foot Operated Mobile Hand Wash Sink	500x655x900/1400			25	0.45

Electrical Mobile Disinfection Station



- Stainless steel body.
- Contemporary design.
- Quick and easy set-up.
- Foot operated electrical water flow system.
- Mobile water tank system.
- Z type napkin holder.
- Elbow operated disinfectant.
- Elbow operated soap dispenser.
- Mobile system.
- Fresh Water Tank: 30 lt
- Waste Tank: 30 lt
- 220V 50-60 Hz operating range.

Code	Description	Dimensions mm			Weight kg	Net m3	Power kw
		a	b	c			
EMP.DKE.75	Electrical Mobile Disinfection Station	750x605x875/1590			44	0.72	0.22
EMP.DKE.102	Electrical Mobile Disinfection Station	1020x605x875/1590			87	0.98	0.22

Disinfection Stations



Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.DKE.007	Elbow Operated Disinfection Station 1 lt	200x60x1445			12	0.17
EMP.DKE.008	Elbow Operated Disinfection Station 2.5 lt	200x60x1445			12	0.17
EMP.AYK.001	Foot Operated Disinfection Station 1 lt	200x167x1125			11	0.037
EMP.AYK.004	Foot Operated Disinfection Station 2.5 lt	200x167x1125			11	0.037
EMP.AYK.003	Foot Operated Disinfection Station 5/10 lt	300x440x1212			17	0.16

Mobile Storage Bins and Transport Carts



Code	Description	Dimensions mm			Type
		a	b	c	
EMP.CY.01	Mobile Waste Bin-Round	400x400			Inox 304
EMP.CK.01	Mobile Waste Bin-Square	500x550x500			Inox 304
EMP.ECK.3.8454-58	Mobile Bin Double Lid	840x540x580			Inox 304


Plate Dispensers



- Stainless steel

Code	Description	Dimensions mm			Capacity plate
		a	b	c	
EMP.TO.1826-N-1	Single Plate Dispenser	Neutral 440x500x900			18/26
EMP.TO.1826-I-1	Single Plate Dispenser	Heating 440x500x900			18/26
EMP.TO.2432-N-1	Single Plate Dispenser	Neutral 480x550x900			24/32
EMP.TO.2432-I-1	Single Plate Dispenser	Heating 480x550x900			24/32
EMP.TO.1826-N-2	Double Plate Dispenser	Neutral 440x880x900			18/26
EMP.TO.1826-I-2	Double Plate Dispenser	Heating 440x880x900			18/26
EMP.TO.2432-N-2	Double Plate Dispenser	Neutral 480x1000x900			24/32
EMP.TO.2432-I-2	Double Plate Dispenser	Heating 480x1000x900			24/32

Plate Dispensers and Grease Seperator



Code	Description	Dimensions mm			Weight kg	Capacity Plate
		a	b	c		
EMP.TO.1826-N	Plate Dispensing Cartridge	Neutral 380x380x750				18/26
EMP.TO.1826-I	Plate Dispensing Cartridge	Heating 380x380x750				18/26
EMP.TO.2432-N	Plate Dispensing Cartridge	Neutral 440x440x750				24/32
EMP.TO.2432-I	Plate Dispensing Cartridge	Heating 440x440x750				24/32
EMP.YT.01	Grease Seperator	655x340x290			20	10 lt
EMP.YT.02	Grease Seperator	730x413x420			29	16 lt
EMP.YT.03	Grease Seperator	900x540x640			52	50 lt

Hotel Service Units



Code	Description	Dimensions mm			Weight kg	Net m3
		a	b	c		
EMP.MBQ.01	Room Service Hot Box	420x435x515			20	0.1
EMP.OKS.01	Hot Box Heating Rack	1070x530x1400			23	0.80
EMP.OSA.01	Room Service Desk (Foldable)	930x910x750			12	0.64

Thermobox



Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capacity lt
		a	b	c	a	b	c		
EMP.BOX-S	Thermobox 1/2 Gn	330x275x355			425x375x495			4.9 (± 200 gr)	19.5

Thermobox



Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capacity lt
		a	b	c	a	b	c		
EMP.BOX-600	Thermobox 600	335x533x500			450x635x575			9.3 (± 200 gr)	83
EMP.BOX-600-K	Thermobox 600 Side-Hinged	335x533x500			465x635x575			10.2 (± 200 gr)	83
EMP.BOX-600-K-I	Thermobox 600 Side-Hinged (with Heated)	335x533x500			465x655x575			14.5 (± 200 gr)	83

Thermobox



Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capacity lt
		a	b	c	a	b	c		
EMP.BOX-700	Thermobox 700 Side-Hinged	410x610x550			565x720x670			14.2 (± 200 gr)	140
EMP.BOX-700-I	Thermobox 700 Side-Hinged (with Heated)	410x610x550			565x740x670			18.5 (± 200 gr)	140

Thermobox



Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capacity lt
		a	b	c	a	b	c		
EMP.BOX-800	Thermobox 800	535x670x500			670x765x615			15.8 (± 200 gr)	180
EMP.BOX-800-I	Thermobox 800 (Isitmalı)	535x670x500			670x785x615			20 (± 200 gr)	180

Thermobox




Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capacity lt
		a	b	c	a	b	c		
EMP.BOX-800+800	Thermobox 800+800	535x655x500			758x765x1375			42 (± 200 gr)	2x180
EMP.BOX-800+800-I	Thermobox 800+800 (with Heated)	535x655x500			758x785x1375			50 (± 200 gr)	2x180

Thermobox



Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capacity lt
		a	b	c	a	b	c		
EMP.BOX-200	Thermobox 200	535x335x146			616x422x305			6 (± 200 gr)	26
EMP.BOX-300	Thermobox 300	535x335x246			616x422x405			8 (± 200 gr)	48

Thermobox




Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capactiy lt
		a	b	c	a	b	c		
EMP.MOB-0	Pizzabox	460x490x360			560x615x415			7.2 (± 200 gr)	70

Epp Carrybox




Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capacity lt
		a	b	c	a	b	c		
EMP.EPP.600	Epp Carrybox 600	330x530x525			440x645x630			3.8	92
EMP.EPP.700	Epp Carrybox 700	410x615x585			535x770x689			6.5	147

Epp Carrybox



Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capacity lt
		a	b	c	a	b	c		
EMP.EPP.MOB	Epp Carrybox	491x420x408			602x570x575			4.4	100
EMP.EPP.MOB-F	Epp Carrybox Full	491x420x408			602x570x575			5.4	100
EMP.EPP.GN.1.1-200	Epp Carrybox 1/1 Gn	338x538x253			400x600x317			1.2	46

Epp Carrybox



Code	Description	Internal Dimensions mm			External Dimensions mm			Weight kg	Capacity lt
		a	b	c	a	b	c		
EMP.EPP.TR60.40.20	Epp Carrybox 60x40x20	425x625x205			490x690x269			1.3	53
EMP.EPP.TR60.40.30	Epp Carrybox 60x40x30	425x625x305			490x690x369			1.6	81
EMP.PiZ.35-4	Epp Carrybox 4 PizzaxØ 35 cm	350x365x175			410x425x235			0.70	22
EMP.PiZ.35-8	Epp Carrybox 8 PizzaxØ 35 cm	350x365x335			410x425x395			1	43
EMP.PiZ.40-4	Epp Carrybox 4 PizzaxØ 40 cm	420x420x175			480x480x245			1	31
EMP.PiZ.40-8	Epp Carrybox 8 PizzaxØ 40 cm	420x420x335			480x480x405			1.3	59

Delivery Bags



Code	Description	Dimensions mm			Net m3
		a	b	c	
EMP.TRBAG.01	Thermo Small Pizza Delivery Bag	350x350x200			0.03
EMP.TRBAG.02	Thermo Medium Pizza Delivery Bag	400x400x200			0.04
EMP.TRBAG.03	Thermo Big Pizza Delivery Bag	450x450x200			0.04
EMP.TRBAG.04	Thermo Pizza Delivery Bag (With Pocket)	350x450x200			0.03

Delivery Bags



Code	Description	Dimensions mm			Net m3
		a	b	c	
EMP.TRBAG.05	Thermo Turkish Pizza Delivery Bag	520x230x15			0.02
EMP.TRBAG.06	Thermo Square Delivery Bag	380x380x250			0.03
EMP.TRBAG.07	Thermo Rectangle Delivery Bag	350x230x230			0.02
EMP.TRBAG.08	Thermo Big Delivery Bag	500x360x240			0.04

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.empero.nt-rt.ru | | eov@nt-rt.ru